

# EHD Components 2005 (Pty) Ltd

E-mail:

JHB: ehd@ehd.co.za
CPT: ehdcapetown@ehd.co.za
DBN: ehd.dbn@ehd.co.za
BLOEM: ehdbloem@ehd.co.za

**Contact Number:** 

JHB: +27 (0)11 870 5000 CPT: +27 (0)21 510 0567 DBN: +27 (0)31 700 1160 BLOEM: +27 (0)51 430 5404

Glonet GS6

#### **Glonet GS6**

Make	Glonet
Model	GS 6
Rated sea-level power @ 1500 RPM	4.4 Kw AT 650 RPM (5.9004 Hp)
Derated power at ± 1500 m ASL @ 1500 RPM	3.7 Kw (4.9617 Hp)
Permissible working range	4.4 KW at 650 RPM (5.9004 Hp)
Number of Cylinders	One
Bore / Stroke	114.3 mm x 139.7 mm
No. of strokes	Four
Type of Cooling	Water Cooling
Maximum Ambient Temperature for specified performance	27° C STD. Temp for Full Power
Rotation of PTO Shaft (clock wise / anti clockwise viewed from PTO Side.	Anti – Clockwise
PTO Shaft suitable for V- Belt Drove (yes/no)	Yes
Diameter and length of shafts + Stub Shafts: mm Length mm	Dia: 50.8 mm Length: 140 mm
Type of Oil Filter Fitted	Only Oil Strainer
Type of Air Cleaner Fitted	Oil Bath
Type of Fuel Filter Fitted	Felt Type (Reusable)
Fuel Consumption @ Full load	1.115 l/hr
Fuel Consumption @ ¾ load	0.900 l/hr
Fuel Consumption @ ½ load	0.690 l/hr
Decompression lever fitted (Yes/No)	Yes
Constant speed governor (Yes/No)	Yes
Shut-down lever fitted (Yes/No)	Yes
Governor with 5% speed regulation fitted (Yes/No)	No 8 % Governor on rated Speed
Pressure lubrication to crankshaft bearings (Yes/No)	No
Crank handle supplied (Yes/No)	Yes

### **Disclaimer**

Manufacturer's names, numbers, symbols, photos and descriptions are used for reference purposes only and it is not implied that the parts referred to are the products of those manufacturers

Source: www.ehd.co.za

## **EHD Components 2005 (Pty) Ltd**


#### E-mail:

JHB: ehd@ehd.co.za CPT: ehdcapetown@ehd.co.za DBN: ehd.dbn@ehd.co.za BLOEM: ehdbloem@ehd.co.za


#### **Contact Number:**

JHB: +27 (0)11 870 5000 CPT: +27 (0)21 510 0567 DBN: +27 (0)31 700 1160 BLOEM: +27 (0)51 430 5404

Performance Curve for 'Glonet' Diesel Engine Single cyl. Water cooled four stroke cycle Diesel Engine



TYPE:G.S-6 kW/HP: 4.4/6 RPM:660



### **Disclaimer**

Manufacturer's names, numbers, symbols, photos and descriptions are used for reference purposes only and it is not implied that the parts referred to are the products of those manufacturers

Source: www.ehd.co.za