

EHD Components 2005 (Pty) Ltd

E-mail:

JHB: ehd@ehd.co.za
 CPT: ehdcapetown@ehd.co.za
 DBN: ehd.dbn@ehd.co.za
 BLOEM: ehdbloem@ehd.co.za

Contact Number:

JHB: +27 (0)11 870 5000
 CPT: +27 (0)21 510 0567
 DBN: +27 (0)31 700 1160
 BLOEM: +27 (0)51 430 5404

GAF2M14

GAF2M14

Make	
Model	GAF – 2M 14 KW
Rated sea-level power @ 1500 RPM	14.7 Kw (19.7127 Hp)
Derated power at ± 1500 m ASL @ 1500 RPM	13.5 kW (18.1035 Hp)
Permissible working range	8.40 – 15.4 kW (11.2644-20.6514 Hp)
Number of Cylinders	Two
Bore / Stroke	Ø 102.00 mm x 116.00 mm
No. of strokes	Four
Type of Cooling	Air Cooling
Maximum Ambient Temperature for specified performance	45° C
Half speed PTO Shaft + rpm (Yes / No)	Yes (750 RPM)
Rotation of PTO Shaft (clockwise / anti –clockwise)	Clockwise seeing from Fly wheel
PTO Shafts suitable for V-belt drive (Yes / No)	Yes
Diameter and length of shafts + Stub Shafts	Ø 38.1 mm Length 150 mm
Type of Oil Filter Fitted	Cartridge Type(Paper Element)
Type of Air Cleaner Fitted	Dry Type
Type of Fuel Filter Fitted	Paper Element Type
Fuel Consumption @ Full load	3.515 l/h
Fuel Consumption @ ¾ load	2.850 l/h
Fuel Consumption @ ½ load	2.025 l/h
Decompression lever fitted (Yes/No)	Yes
Constant speed governor (Yes/No)	Yes
Constant speed	1500 RPM
Shut-down lever fitted (Yes/No)	Yes
Governor with 5% speed regulation fitted (Yes/No)	Yes
Pressure lubrication to crankshaft bearings (Yes/No)	Yes
Crank handle supplied (Yes/No)	Yes

GAF2M14

Disclaimer

Manufacturer's names, numbers, symbols, photos and descriptions are used for reference purposes only and it is not implied that the parts referred to are the products of those manufacturers

Source: www.ehd.co.za

EHD Components 2005 (Pty) Ltd


E-mail:

JHB: ehd@ehd.co.za
 CPT: ehdcapetown@ehd.co.za
 DBN: ehd.dbn@ehd.co.za
 BLOEM: ehdbloem@ehd.co.za

Contact Number:

JHB: +27 (0)11 870 5000
 CPT: +27 (0)21 510 0567
 DBN: +27 (0)31 700 1160
 BLOEM: +27 (0)51 430 5404

	Load	kW
1	0	0
2	25	3.5
3	50	7
4	75	10.5
5	100	14
6	110	15.4



	Load	Fuel cons., l/hr
1	0	0.75
2	25	1.45
3	50	2.21
4	75	2.89
5	100	3.51
6	110	4.03

Disclaimer

Manufacturer's names, numbers, symbols, photos and descriptions are used for reference purposes only and it is not implied that the parts referred to are the products of those manufacturers

Source: www.ehd.co.za


EHD Components 2005 (Pty) Ltd

E-mail:


JHB: ehd@ehd.co.za
 CPT: ehdcapetown@ehd.co.za
 DBN: ehd.dbn@ehd.co.za
 BLOEM: ehdbloem@ehd.co.za

Contact Number:

JHB: +27 (0)11 870 5000
 CPT: +27 (0)21 510 0567
 DBN: +27 (0)31 700 1160
 BLOEM: +27 (0)51 430 5404



	Load	Specific fuel cons, l/kWhr
1	0	0
2	25	34.445
3	50	26.145
4	75	22.825
5	100	20.833
6	110	21.746



Disclaimer

Manufacturer's names, numbers, symbols, photos and descriptions are used for reference purposes only and it is not implied that the parts referred to are the products of those manufacturers

Source: www.ehd.co.za