

# EHD Components 2005 (Pty) Ltd

**E-mail:**

JHB: ehd@ehd.co.za  
 CPT: ehdcapetown@ehd.co.za  
 DBN: ehd.dbn@ehd.co.za  
 BLOEM: ehdbloem@ehd.co.za

**Contact Number:**

JHB: +27 (0)11 870 5000  
 CPT: +27 (0)21 510 0567  
 DBN: +27 (0)31 700 1160  
 BLOEM: +27 (0)51 430 5404

Glonet GS8

## Glonet GS8

Make	Glonet
Model	GS 8
Rated sea-level power @ 1500 RPM	5.9 Kw at 850 RPM (7.9119 Hp)
Derated power at ± 1500 m ASL @ 1500 RPM	5.0 kW (6.705 Hp)
Permissible working range	5.9 KW at 850 RPM (7.9119 Hp)
Number of Cylinders	One
Bore / Stroke	114.3 mm x 139.7 mm
No. of strokes	Four
Type of Cooling	Water Cooling
Maximum Ambient Temperature for specified performance	27° C STD. Temp for Full Power
Rotation of PTO Shaft (clock wise / anti clockwise viewed from PTO Side.	Anti – Clockwise
PTO Shaft suitable for V- Belt Drove (yes/no)	Yes
Diameter and length of shafts + Stub Shafts: ---- mm Length ---- mm	Dia: 50.8 mm Length: 140 mm
Type of Oil Filter Fitted	Strainer
Type of Air Cleaner Fitted	Oil Bath
Type of Fuel Filter Fitted	Felt Type (Reusable)
Fuel Consumption @ Full load	1.480 l/hr
Fuel Consumption @ ¾ load	1.240 l/hr
Fuel Consumption @ ½ load	0.930 l/hr
Decompression lever fitted (Yes/No)	Yes
Constant speed governor (Yes/No)	Yes
Shut-down lever fitted (Yes/No)	Yes
Governor with 5% speed regulation fitted (Yes/No)	No 8 % Governor on rated Speed
Pressure lubrication to crankshaft bearings (Yes/No)	No
Crank handle supplied (Yes/No)	Yes

GS 8

## Disclaimer

Manufacturer's names, numbers, symbols, photos and descriptions are used for reference purposes only and it is not implied that the parts referred to are the products of those manufacturers

Source: [www.ehd.co.za](http://www.ehd.co.za)


# EHD Components 2005 (Pty) Ltd

**E-mail:**  
 JHB: ehd@ehd.co.za  
 CPT: ehdcapetown@ehd.co.za  
 DBN: ehd.dbn@ehd.co.za  
 BLOEM: ehdbloem@ehd.co.za

**Contact Number:**  
 JHB: +27 (0)11 870 5000  
 CPT: +27 (0)21 510 0567  
 DBN: +27 (0)31 700 1160  
 BLOEM: +27 (0)51 430 5404

**Performance Curve for 'Glonet' Diesel Engine**  
 Single cyl. Water cooled four stroke cycle Diesel Engine

TYPE:G.S-8  
 kW/HP: 5.9/8  
 RPM: 850



# Disclaimer

Manufacturer's names, numbers, symbols, photos and descriptions are used for reference purposes only and it is not implied that the parts referred to are the products of those manufacturers

**Source: [www.ehd.co.za](http://www.ehd.co.za)**